


PLATING SYSTEM

PRODUCT CATALOGUE



Manufactured & Marketed by

ZEUS ORTHOCARE Pvt. Ltd.


472, Bhagyalaxmi Estate, Rakanpur-Santej, Ta. Kalol,
Dist. Gandhinagar-382721 Ph.: 02764-268138

Email : info@zeusorthocare.com
www.zeusorthocare.com



**ZEUS
ORTHOCARE
Pvt. Ltd.**

2.7 SYSTEMS DORSAL & VOLAR PLATES



LCP ANATOMICAL VOLAR PLATE BROAD*

LEFT / RIGHT
1.2.084.07 | SS316L
 HEAD HOLE : 7 | SHAFT HOLE : 3,5
5.2.084.07 | TITANIUM
 HEAD HOLE : 7 | SHAFT HOLE : 3,5

VOLAR PLATES

LCP ANATOMICAL VOLAR PLATE NARROW*

LEFT / RIGHT
1.2.083.06 | SS316L
 HEAD HOLE : 6 | SHAFT HOLE : 3,5
5.2.083.06 | TITANIUM
 HEAD HOLE : 6 | SHAFT HOLE : 3,5



LCP JUXTA-ARTICULAR PLATE

LEFT / RIGHT
1.2.071 | SS316L
 HEAD HOLE : 5 | SHAFT HOLE : 3,4,5
5.2.071 | TITANIUM
 HEAD HOLE : 5 | SHAFT HOLE : 3,4,5



LCP DISTAL RADIUS PLATE VOLAR,BUTTRESS

LEFT / RIGHT
1.2.072 | SS316L
 HEAD HOLE : 5 | SHAFT HOLE : 3
5.2.072 | TITANIUM
 HEAD HOLE : 5 | SHAFT HOLE : 3



LCP DISTAL RADIUS PLATE EXTRA ARTICULAR

LEFT / RIGHT
1.2.073.04 | SS316L
 HEAD HOLE : 4 | SHAFT HOLE : 3,4,5
5.2.073.05 | TITANIUM
 HEAD HOLE : 4 | SHAFT HOLE : 3,4,5



*PREMIUM PRODUCTS

LCP DISTAL RADIUS PLATE EXTRA ARTICULAR

LEFT / RIGHT
1.2.073.05 | SS316L
 HEAD HOLE : 5 | SHAFT HOLE : 3,4,5
5.2.073.05 | TITANIUM
 HEAD HOLE : 5 | SHAFT HOLE : 3,4,5



LCP T-DISTAL RADIUS PLATE RIGHT ANGLED 3.5 SMALL

1.2.080 | SS316L
 HEAD HOLE : 3 | SHAFT HOLE : 3,4,5
5.2.080 | TITANIUM
 HEAD HOLE : 3 | SHAFT HOLE : 3,4,5



LCP T-DISTAL RADIUS PLATE RIGHT ANGLED 3.5 NARROW

1.2.081 | SS316L
 HEAD HOLE : 4 | SHAFT HOLE : 3,4,5
5.2.081 | TITANIUM
 HEAD HOLE : 4 | SHAFT HOLE : 3,4,5



DORSAL PLATES

LCP T-DISTAL RADIUS PLATE RIGHT ANGLED

1.2.074 | SS316L
 HEAD HOLE : 3 | SHAFT HOLE : 3,4,5
5.2.074 | TITANIUM
 HEAD HOLE : 3 | SHAFT HOLE : 3,4,5



LCP T-DISTAL RADIUS PLATE OBLIQUE ANGLED 3.5

LEFT / RIGHT
1.2.075 | SS316L
 HEAD HOLE : 3 | SHAFT HOLE : 3,4,5
5.2.075 | TITANIUM
 HEAD HOLE : 3 | SHAFT HOLE : 3,4,5



LCP L-DISTAL RADIUS PLATE

LEFT / RIGHT
1.2.077.02 | SS316L
 HEAD HOLE : 2 | SHAFT HOLE : 3,4,5
5.2.077.02 | TITANIUM
 HEAD HOLE : 2 | SHAFT HOLE : 3,4,5



LCP L-DISTAL RADIUS PLATE

LEFT / RIGHT
1.2.077.03 | SS316L
 HEAD HOLE : 3 | SHAFT HOLE : 3,4,5
5.2.077.03 | TITANIUM
 HEAD HOLE : 3 | SHAFT HOLE : 3,4,5



LCP L-DISTAL RADIUS PLATE, OBLIQUE

LEFT / RIGHT
1.2.078 | SS316L
 HEAD HOLE : 3 | SHAFT HOLE : 3,4,5
5.2.078 | TITANIUM
 HEAD HOLE : 3 | SHAFT HOLE : 3,4,5



LOCKING PLATE SYSTEMS



TIBIA PLATES

PROXIMAL TIBIA 3.5 PROFILE*

LEFT / RIGHT
1.2.041 | SS316L
SHAFT HOLE : 6,8,10,12,14
5.2.041 | TITANIUM
SHAFT HOLE : 6,8,10,12,14

PROXIMAL TIBIA 4.5 PROFILE*

LEFT / RIGHT
1.2.042 | SS316L
SHAFT HOLE : 5,7,9,11,13
5.2.042 | TITANIUM
SHAFT HOLE : 5,7,9,11,13



DISTAL MEDIAL TIBIA PLATE

LEFT / RIGHT
1.2.043 | SS316L
SHAFT HOLE : 4,6,8,10,12,14
5.2.043 | TITANIUM
SHAFT HOLE : 4,6,8,10,12,14



ANTEROLATERAL TIBIA PLATE

LEFT / RIGHT
1.2.044 | SS316L
SHAFT HOLE : 5,7,9,11,13
5.2.044 | TITANIUM
SHAFT HOLE : 5,7,9,11,13



PROXIMAL LATERAL TIBIA 4.5 PROFILE

LEFT / RIGHT
1.2.045 | SS316L
SHAFT HOLE : 5,7,9,11,13
5.2.045 | TITANIUM
SHAFT HOLE : 5,7,9,11,13



*PREMIUM PRODUCTS

POSTERIOR MEDIAL PROXIMAL TIBIA PLATE

1.2.046 | SS316L
SHAFT HOLE : 1,2,4,6,8,10
5.2.046 | TITANIUM
SHAFT HOLE : 1,2,4,6,8,10



DISTAL FEMUR PLATES

PERIARTICULAR DISTAL FEMUR PLATE*

LEFT / RIGHT
1.2.001 | SS316L
SHAFT HOLE : 5,7,9,11,13
5.2.001 | TITANIUM
SHAFT HOLE : 5,7,9,11,13



DISTAL FEMUR PLATE (AO TYPE)

LEFT / RIGHT
1.2.002 | SS316L
SHAFT HOLE : 5,7,9,11,13
5.2.002 | TITANIUM
SHAFT HOLE : 5,7,9,11,13



CLAVICLE PLATE

CLAVICLE HOOK PLATE

LEFT / RIGHT
1.2.091 | SS316L
SHAFT HOLE : 3,4,5
5.2.091 | TITANIUM
SHAFT HOLE : 3,4,5



HUMERUS PLATES

PROXIMAL HUMERUS PLATE

1.2.061 | SS316L
SHAFT HOLE : 3,4,5,6,7,8
5.2.061 | TITANIUM
SHAFT HOLE : 3,4,5,6,7,8



DISTAL MEDIAL HUMERUS PLATE

LEFT / RIGHT
1.2.062 | SS316L
SHAFT HOLE : 3,5,7,9,11
5.2.062 | TITANIUM
SHAFT HOLE : 3,5,7,9,11



DISTAL HUMERUS PLATE WITH SUPPORT

LEFT / RIGHT
1.2.063 | SS316L
SHAFT HOLE : 3,5,7,9,11
5.2.063 | TITANIUM
SHAFT HOLE : 3,5,7,9,11



DISTAL HUMERUS PLATE WITHOUT SUPPORT

LEFT / RIGHT
1.2.064 | SS316L
SHAFT HOLE : 3,5,7,9,11
5.2.064 | TITANIUM
SHAFT HOLE : 3,5,7,9,11



*PREMIUM PRODUCTS

LOCKING COMPRESSION PLATES

LOCKING COMPRESSION PLATE (LCP) SMALL

1.2.021 | SS316L
SHAFT HOLE : 4,5,6,7,8,9,10,11,12



5.2.021 | TITANIUM
SHAFT HOLE : 4,5,6,7,8,9,10,11,12

LOCKING COMPRESSION PLATE (LCP) NARROW

1.2.022 | SS316L
SHAFT HOLE : 4,5,6,7,8,9,10,11,12



5.2.022 | TITANIUM
SHAFT HOLE : 4,5,6,7,8,9,10,11,12

LOCKING COMPRESSION PLATE (LCP) BROAD

1.2.023 | SS316L
SHAFT HOLE : 6,7,8,9,10,11,12,13,14,15,16



5.2.023 | TITANIUM
SHAFT HOLE : 6,7,8,9,10,11,12,13,14,15,16

LCP RECONSTRUCTION PLATE

1.2.024 | SS316L
SHAFT HOLE : 4,5,6,7,8,9,10,11,12



5.2.024 | TITANIUM
SHAFT HOLE : 4,5,6,7,8,9,10,11,12

DYNAMIC HOLE PLATE SYSTEMS

DYNAMIC COMPRESSION PLATE SMALL

1.2.031 | SS316L
SHAFT HOLE : 4,5,6,7,8,9,10,11,12



5.2.031 | TITANIUM
SHAFT HOLE : 4,5,6,7,8,9,10,11,12

DYNAMIC COMPRESSION PLATE NARROW

1.2.032 | SS316L
SHAFT HOLE : 4,5,6,7,8,9,10,11,12



5.2.032 | TITANIUM
SHAFT HOLE : 4,5,6,7,8,9,10,11,12

DYNAMIC COMPRESSION PLATE BROAD

1.2.033 | SS316L
SHAFT HOLE : 6,7,8,9,10,11,12,13,14,15,16



5.2.033 | TITANIUM
SHAFT HOLE : 6,7,8,9,10,11,12,13,14,15,16

ONE THIRD TUBULER PLATE

1.2.034 | SS316L
SHAFT HOLE : 4,5,6,7,8,9,10,11,12



5.2.034 | TITANIUM
SHAFT HOLE : 4,5,6,7,8,9,10,11,12

DYNAMIC HIP SCREW PLATES



125° DHS PLATE*

SHORT BARREL / LONG BARREL
1.2.011 | SS316L
SHAFT HOLE : 3,4,5,6,7,8,9,10



5.2.011 | TITANIUM
SHAFT HOLE : 3,4,5,6,7,8,9,10

130° DHS PLATE*

SHORT BARREL / LONG BARREL
1.2.012 | SS316L
SHAFT HOLE : 3,4,5,6,7,8,9,10



5.2.012 | TITANIUM
SHAFT HOLE : 3,4,5,6,7,8,9,10

135° DHS PLATE*

SHORT BARREL / LONG BARREL
1.2.013 | SS316L
SHAFT HOLE : 3,4,5,6,7,8,9,10



5.2.013 | TITANIUM
SHAFT HOLE : 3,4,5,6,7,8,9,10

DHS SCREWS

1.1.071 DYNAMIC HIP SCREW

LENGTH - 50mm to 125mm
(5mm Increment)



1.1.072 DYNAMIC HIP COMPRESSION SCREW

LENGTH -



TRAUMA SCREWS

LOCKING HEAD SCREWS

1.1.007 2.7mm LOCKING HEAD SCREW

LENGTH - 10mm to 30mm (2mm Increment)



1.1.001 3.5mm LOCKING HEAD SCREW

LENGTH - 10mm to 50mm (2mm Increment)
55mm to 90mm (5mm Increment)



1.1.003 5.0mm LOCKING HEAD SCREW

LENGTH - 20mm to 60mm (2mm Increment)
64mm to 80mm (4mm Increment)
85mm, 90mm



1.1.005 3.5mm LOCKING HEAD SPACER

LENGTH - 1mm, 2mm, 3mm



1.1.004 5.0mm LOCKING HEAD SPACER

LENGTH - 1mm, 2mm, 3mm



CORTICAL SCREWS

1.1.046 2.7mm CORTICAL SCREW

LENGTH - 10mm to 30mm (2mm Increment)



1.1.041 3.5mm CORTICAL SCREW

LENGTH - 8mm to 40mm (2mm Increment)
45mm to 60mm (5mm Increment)



1.1.043 4.5mm CORTICAL SCREW

LENGTH - 14mm to 80mm (2mm Increment)
85mm, 90mm



CANCELLOUS SCREWS

1.1.051 4.0mm CANCELLOUS SCREW (PARTIALLY THREADED)

LENGTH - 10mm to 30mm (2mm Increment)
35mm to 55mm (5mm Increment)



1.1.052 4.0mm CANCELLOUS SCREW (FULLY THREADED)

LENGTH - 10mm to 30mm (2mm Increment)
35mm to 55mm (5mm Increment)



1.1.081 5.0mm CANCELLOUS SCREW

LENGTH - 55mm to 105mm (5mm Increment)



1.1.053 6.5mm CANCELLOUS SCREW (16mm THREADED)

LENGTH - 25mm to 110mm (5mm Increment)



1.1.054 6.5mm CANCELLOUS SCREW (32mm THREADED)

LENGTH - 40mm to 110mm (5mm Increment)



1.1.055 6.5mm CANCELLOUS SCREW (FULLY THREADED)

LENGTH - 20mm to 110mm (5mm Increment)



CANNULATED CANCELLOUS SCREWS

1.1.061 4.0mm CANNULATED CANCELLOUS SCREW (PARTIALLY THREADED)

LENGTH - 10mm to 30mm (2mm Increment)
35mm to 60mm (5mm Increment)



1.1.062 4.0mm CANNULATED CANCELLOUS SCREW (FULLY THREADED)

LENGTH - 10mm to 30mm (2mm Increment)
35mm to 60mm (5mm Increment)



1.1.063 6.5mm CANNULATED CANCELLOUS SCREW (16mm THREADED)

LENGTH - 40mm to 110mm (5mm Increment)



1.1.064 6.5mm CANNULATED CANCELLOUS SCREW (32mm THREADED)

LENGTH - 40mm to 110mm (5mm Increment)



INSTRUMENTS SET


VOLAR DORSAL INSTRUMENTS SET



2.7MM PROFILE

PRODUCT NAME	PRODUCT NO.	QTY.
2.0mm DRILL SLEEVE	0.9.077.20	2
2.7mm CORTICAL TAP	0.9.210.27	1
2.8mm DRILL SLEEVE	0.9.077.28	1
DEPTH GAUGE	0.9.190.30	1
PLATE BENDER	0.9.251	2
2.0mm HEX SCREW DRIVER	0.9.001.20	1
2.0mm TORQUE LIMITING SCREW DRIVER	0.9.003.20	1
2.5mm HEX SCREW DRIVER	0.9.001.25	1
2.5mm TORQUE LIMITING SCREW DRIVER	0.9.003.25	1
PIN LOCATOR	0.9.078	1
SCREW FORCEPS	0.9.232	1
K WIRE(1.6X150)mm	0.9.133.16.150	4
2.0mm QUICK COUPLING DRILL BIT	0.9.097.20	2
2.8mm QUICK COUPLING DRILL BIT	0.9.097.28	2
2.5mm QUICK COUPLING DRILL BIT	0.9.097.25	2


3.5mm PROFILE INSTRUMENTS SET



3.5MM PROFILE

PRODUCT NAME	PRODUCT NO.	QTY.
2.8mm DRILL SLEEVE	0.9.077.28	3
3.5mm CORTICAL TAP	0.9.210.35	1
DEPTH GAUGE	0.9.190.100	1
PLATE BENDER	0.9.250	2
2.5mm HEX SCREW DRIVER	0.9.001.25	1
2.5mm HEX SCREW DRIVER SHANK	0.9.001.25	1
2.5mm TORQUE LIMITING SCREW DRIVER	0.9.003.25	1
PIN LOCATOR	0.9.078	1
SCREW FORCEPS	0.9.232	1
2.8mm QUICK COUPLING DRILL BIT	0.9.097.28	2
2.7mm QUICK COUPLING DRILL BIT	0.9.097.27	2
2.5mm QUICK COUPLING DRILL BIT	0.9.097.25	2
K WIRE(1.6X150)mm	0.9.133.16.150	4


4.5/5.0mm PROFILE INSTRUMENTS SET



5.0MM PROFILE

PRODUCT NAME	PRODUCT NO.	QTY.
4.3mm DRILL SLEEVE	0.9.077.43	3
4.5mm CORTICAL TAP	0.9.210.45	1
DEPTH GAUGE	0.9.190.100	1
PLATE BENDER	0.9.250	2
3.5mm HEX SCREW DRIVER	0.9.001.35	1
3.5mm HEX SCREW DRIVER SHANK	0.9.001.35	1
3.5mm TORQUE LIMITING SCREW DRIVER	0.9.003.35	1
PIN LOCATOR	0.9.078	1
SCREW FORCEPS	0.9.232	1
4.3mm QUICK COUPLING DRILL BIT	0.9.097.43	2
3.2mm QUICK COUPLING DRILL BIT	0.9.097.32	2
K WIRE(1.6X150)mm	0.9.133.16.150	4

DHS INSTRUMENTS SET



DHS INSTRUMENT SET

PRODUCT NAME	PRODUCT NO.	QTY.
DHS TRIPLE REAMER LONG	0.9.095	1
DHS TRIPLE REAMER SHORT	0.9.096	1
DHS TAP	0.9.211	1
4.5mm CORTICAL TAP	0.9.210.45	1
3.5mm SCREW DRIVER	0.9.001.35.S	1
SCREW MEASURING DEVICE	0.9.191	1
DEPTH GAUGE	0.9.190.70	1
LEG SCREW INSERTER	0.9.230	1
LEG SCREW EXTRACTOR	0.9.231	1
TEFLON HEAD IMPACTOR	0.9.154	1
GUIDE PIN(2.5X230)mm	0.9.131.25.230	4
THREADED GUIDE PIN(2.5X230)mm	0.9.134.25.230	2
SCREW FORCEPS	0.9.232	1
QUICK COUPLING T-HANDLE	0.9.060	1
FIX ANGLE GUIDE	0.9.076	1
ADJUSTABLE ANGLE GUIDE	0.9.075	1
3.2mm QUICK COUPLING DRILL BIT	0.9.097.32	2